


## TUBO LED

### Mod. T8-GS1



DESCRIZIONE	W	Dimensioni	flusso luce(lm)	Nr. led	isolato
Tubo led t8(6-7lm)	8	26x600	650/750	120	si
Tubo led t8(6-7lm)	9	26x600	800/900	144	si
Tubo led t8(6-7lm)	12	26x900	900/1050	180	si
Tubo led t8(6-7lm)	16	26x1200	1200/1350	240	si
Tubo led t8(6-7lm)	18	26x1200	1450/1650	288	si
Tubo led t8(6-7lm)	24	26x1500	1800/2100	360	si




## TUBO LED

### Mod. T8-HS1



DESCRIZIONE	W	Dimensioni	flusso luce(lm)	Nr. led	isolato
Tubo led t8(7.5-8lm)	8	26x600	800/899	120	si
Tubo led t8(7.5-8lm)	9	26x600	1000/1099	144	si
Tubo led t8(7.5-8lm)	12	26x900	1100/1249	180	si
Tubo led t8(7.5-8lm)	16	26x1200	1450/1649	240	si
Tubo led t8(7.5-8lm)	18	26x1200	1700/1999	288	si
Tubo led t8(7.5-8lm)	24	26x1500	2150/2449	360	si




## TUBO LED

### Mod. T8-GS3



DESCRIZIONE	W	Dimensioni	flusso luce(lm)	Nr. led	isolato
Tubo led t8(10-11lm)	9	26x600	700/800	72	si
Tubo led t8(10-11lm)	16	26x1200	1150/1300	120	si
Tubo led t8(10-11lm)	18	26x1200	1400/1500	144	si
Tubo led t8(10-11lm)	24	26x1500	1650/1800	180	si




## TUBO LED

### Mod. T8-GS3



DESCRIZIONE	W	Dimensioni	flusso luce(lm)	Nr. led	isolato
Tubo led t8(16-17lm)	9	26x600	950/1050	72	si
Tubo led t8(16-17lm)	16	26x1200	1700/1800	120	si
Tubo led t8(16-17lm)	18	26x1200	1950/2050	144	si
Tubo led t8(16-17lm)	24	26x1500	2450/2550	180	si



## TUBO LED


### Mod. T8-GS2




DESCRIZIONE	W	Dimensioni	flusso luce(lm)	Nr. led	isolato
Tubo led t8(10-11lm)	9	26x600	700/800	72	si
Tubo led t8(10-11lm)	16	26x1200	1150/1300	120	si
Tubo led t8(10-11lm)	18	26x1200	1400/1500	144	si
Tubo led t8(10-11lm)	24	26x1500	1650/1800	180	si
Tubo led t8(16-17lm)	9	26x600	950/1050	72	si
Tubo led t8(16-17lm)	16	26x1200	1700/1800	120	si
Tubo led t8(16-17lm)	18	26x1200	1950/2050	144	si
Tubo led t8(16-17lm)	24	26x1500	2450/2550	180	si



# PANNELLO TONDO NL-E-P-C




DESCRIZIONE	W	Dimensioni	flusso luce(lm)	Nr. led
pannello tondo	5	145x145x15	350/400	48
pannello tondo	10	1180x180x15	700/800	104
pannello tondo	12	200x200x15	800/900	120
pannello tondo	15	240x240x15	1000/1200	144
pannello tondo	18	300x300x15	1100/1300	180



# PANNELLO QUADRATO NL-E-P-B



DESCRIZIONE	W	Dimensioni	flusso luce(lm)	Nr. led
pannello quadro	18	300x300x12	1620/1980	180
pannello quadro	27	300x600x12	1600/2000	264
pannello quadro	30	600x600x12	2000/2200	270
pannello quadro	32	300x900x12	2200/2300	308
pannello quadro	36	600x600x12	3000/3400	352
pannello quadro	36	300x1200x12	3000/3400	360
pannello quadro	54	600x600x12	3000/3400	528
pannello quadro	54	600x1200x12	4500/5500	540
pannello quadro	72	600x1200x12	6000/7000	720




# PROIETTORE NL-E-FL



DESCRIZIONE	W	Dimensioni
proiettore	10	550g
proiettore	20	1100g
proiettore	30	2000g
proiettore	40	2700g
proiettore	50	2800g
proiettore	60	6000g
proiettore	70	6000g
proiettore	80	6100g
proiettore	100	6700g
proiettore	120	11150g





## CAPPA ALTA NL-E-A/B



DESCRIZIONE	W	Dimensioni	flusso luce(lm)
cappa alta	30	ø500x386	2500/3000
cappa alta	40	ø500x386	3500/4000
cappa alta	50	ø500x386	4500/5000
cappa alta	60	ø500x386	5400/6000
cappa alta	70	ø500x386	6300/7000
cappa alta	80	ø500x386	7200/8000
cappa alta	90	ø500x386	8000/9000
cappa alta	100	ø500x386	9000/10000
cappa alta	120	ø500x386	9800/12000